

Collection 2022

Available from 01.11.2021

nobilia® elements 

Kitchen

Bathroom

Living

Create
more space
in **your life.**

nobilia elements stands
for individual solutions
that adapt flexibly to your
changing lifestyle.

Colours

Front

332 Touch Alpine White Super Matt

Alpine White

Carcase

193 Alpine White

Alpine White

Plinth

193 Alpine White, 150 mm high

Alpine White

Worktop

192 Oak Provence reproduction or 354 Concrete Slate Grey reproduction

Niche cladding

192 Oak Provence reproduction or 354 Concrete Slate Grey reproduction

Handle

Metal handle

Colours: Stainless Steel 263, Black 726



Handle position, kitchen

Handles positioned horizontally at the side



Handle position, bathroom/living

Handles centred horizontally



Upright and top shelf

193 Alpine White, 192 Oak Provence reproduction or 354 Concrete Slate Grey reproduction

Alpine White



Kitchen


Base units

Hobs must only be fitted to units designed for this purpose. * Cooker housings are suitable for all stand-alone ovens.

Base unit

Hinge on L or R, 1 continuous door, 1 shelf

UD 30 / 45 / 60




Width: 30 cm, 45 cm, 60 cm
item no. 31003, 31065, 31030

Base unit

Hinge on L or R, 1 drawer, 1 door, 1 shelf

US 30 / 45 / 60




Width: 30 cm, 45 cm, 60 cm
item no. 22006, 22077, 22031

Base unit

1 drawer, 2 pull-outs

UA 30 / 45 / 60 / 90




Width: 30 cm, 45 cm, 60 cm, 90 cm
item no. 22263, 22022, 22062, 22024

Base unit

2 continuous doors, 1 shelf

UD 90




Width: 90 cm
item no. 31076

Base unit

2 drawers, 2 doors, 1 shelf

US 90




Width: 90 cm
item no. 22079

Corner unit

Hinge on L or R, 1 continuous door, 1 shelf, 1 angle filler


UEDF 100-60



Width: 60 cm
item no. 36099

Sink unit


Hinge on L or R, 1 internal panel, 1 continuous door SPUD 45 / 60



Width: 45 cm, 60 cm
item no. 31205, 31206

Sink unit


2 internal panels, 2 continuous doors SPUD 90



Width: 90 cm
item no. 31161

Hob unit

Hinge on L or R, 1 internal panel, 1 construction shelf for heat insulation, 1 door, 1 shelf KD 60



Width: 60 cm
item no. 31066

Hob unit

Hinge on L or R, 1 drawer, 1 spacer shelf for hob, 1 door, 1 shelf KS 60



Width: 60 cm
item no. 20333

Hob unit

1 drawer, 2 pull-outs 1 spacer shelf for hob KS2A 60 / 90



Width: 60 cm, 90 cm
item no. 21377, 21391

Cooker housing*

1 fixed panel, niche dimension: 598 mm HUB



Width: 60 cm
item no. 309

Cooker housing*


1 plastic drawer, 16 l capacity, interior dimensions: 485 x 480 x 68 mm, niche dimensions: 598 mm HUS 60



Width: 60 cm
item no. 31311

Dishwasher front


for integrated dishwashers GSBD 45-I / GSBD 60-I



Width: 45 cm, 60 cm
item no. 39820, 39866

Front for built-under fridge unit

Hinge on L or R KSD




Width: 60 cm
item no. 39865

End upright

incl. floor profile, depth: 585 mm, thickness: 16 mm

Colours: Stainless Steel/Matt Black UWA 16




item no. 16902

End upright for worktop depth of 700 mm

incl. floor profile, depth: 685 mm, thickness: 16 mm


Colours: Stainless Steel/Matt Black UW 86-69



item no. 16894

Filler


Carcase material, 720 mm high UPK 20



Width: 20 cm
item no. 113

Angle filler for base unit

front material, 70 x 70 mm UPE



item no. 143

GSP-recessed fillers

Side section of carcass material, height: 720 mm, depth: 561 mm, for mounting on fitting pieces which are planned next to a dishwasher

GSPR-E

item no. 44160

Tall units

Crockery/pantry unit


Hinge on L or R,
2 doors, 1 fixed shelf,
4 shelves
HDV 60-1



Width: 60 cm
item no. 47496

Housing unit for refrigerator


Hinge on L or R, niche
height: 1230 mm, 1 appliance
door, 1 door, 1 shelf
G123-1



Width: 60 cm
item no. 40386

End upright


incl. floor profile, depth: 585 mm,
thickness: 16 mm
Colours: Stainless Steel/Matt Black
HWA 16-1



item no. 16922

Larder unit


1 pull-out with SoftStoppPro
cushioned opening and closing,
5 hanging baskets with wooden
bottoms and metal railing, adjustable
HDA 30-1



Width: 30 cm
item no. 37429

Housing unit for fridge/freezer


Hinge on L or R,
niche height: 1450 mm
2 appliance doors, 1 pull-out
G145A-1



Width: 60 cm
item no. 41377

End upright for planned 70 cm depth

incl. floor profile, depth: 685 mm,
thickness: 16 mm
Colours: Stainless Steel/Matt Black
HW 2139-69



item no. 16895

Oven housing


Hinge on L or R,
niche height: 590 mm
2 doors, 2 shelves
GO-1



Width: 60 cm
item no. 40407

Housing unit for fridge/freezer

Hinge on L or R,
niche height: 1780 mm,
2 appliance doors
GD178-1



Width: 60 cm
item no. 47099

Designer upright panel for tall unit


193 Alpine White, usable on
both sides
HWAK 16-1



item no. 16896

Oven housing

Hinge on L or R,
1 door, 1 shelf,
1 drawer, 2 pull-outs
GOS2A-1



Width: 60 cm
item no. 41419

Housing unit for refrigerator and steam oven

Hinge on L or R,
niche height: 450 mm, 880 mm
1 door, 1 appliance door, 1 shelf
G88DK-1E



Width: 60 cm
item no. 47727

Filler

Carcase material, 1997 mm high,
U-shaped seal for connection to
wall, width: 230 mm
HPK 20-1



item no. 30448

Wall units

Wall unit

Hinge on L or R,
1 door, 2 shelves
W 30 / 45 / 60-1



Width: 30 cm
item no. 32003
45 cm
32045
60 cm
32006

Wall unit for JUNKER microwave


1 niche 380 mm, 1 flap
as niche compensation
WMJE 60-1



Width: 60 cm
item no. 37568

Wall shelf unit

thickness: 25 mm, depth: 255 mm
not to be planned above hobs
Colours: Oak/Concrete/Alpine White
VBE 25-60 / 80 / 90 / 100



Width: 60 cm
item no. 25826
80 cm
25828
90 cm
25829
100 cm
25830

Wall unit


2 doors, 2 shelves
W 90-1



Width: 90 cm
item no. 32009

Wall unit for flat extractor hood

Hinge on L or R, internal panel,
metal grids, 80 mm deep, the
number of metal shelves depends
on the built-in dimensions of the
extractor hood, height: 720 mm
WDAF 60-1



Width: 60 cm
item no. 31829

→ Wall bracket for the wall shelf unit, set of 2


Colours: Stainless Steel/Matt Black
VBH 5



item no. 5900

Wall unit with folding/lifting door


1 folding/lifting door,
2 original fronts, 2 shelves
WFL 60 / 90-1



Width: 60 cm
item no. 32346
90 cm
32349

Wall unit with segmented glass door*


Hinge on L or R, 1 door,
clear glass No. 01, 2 glass shelves
WGLS 60-1



Width: 60 cm
item no. 31436

End upright

depth: 372 mm, height: 720 mm,
thickness: 16 mm
WW 16-1



item no. 16832

Filler

Carcase material, 720 mm high,
width: 200 mm, U-shaped seal
for connection to wall
WPK 20-1



item no. 31302

Angle filler Wall unit

front material, 100x100 mm
WPEV 50-1



item no. 36380

All appliance housings are made to match the electrical appliances from the **nobilis** elements portfolio.

Electrical appliances

Ovens (stand-alone)

LEONARD built-in oven
stand-alone device, top/bottom heat and fan-assisted
LBN 1314 X



item no.
86248

LEONARD built-in oven
stand-alone device,
top/bottom heat
LBN 1114 X



item no.
86237

LAURUS built-in oven
stand-alone device,
top/bottom heat
LEB 3



item no.
80223

Compact ovens

JUNKER compact oven
stand-alone device,
top/bottom heat
JC 4306060



item no.
81298

JUNKER compact microwave/oven
stand-alone device,
top/bottom heat
JC 4119960



item no.
81244

Oven+hob

LEONARD built-in cooker
with controls for hob,
top/bottom heat and
fan-assisted
LHN 1314 X



item no.
86218

LEONARD hob
glass ceramic, 4 cooking
zones, oven-dependent
LES 6001 F



item no.
86333

Hobs (stand-alone)

PROGRESS Domino hob
stand-alone device, glass ceramic,
2 cooking zones, width: 30 cm
PAS 3101 F



item no.
86302

LAURUS Domino hob
stand-alone device, glass ceramic,
2 cooking zones, width: 30 cm
LCA 30



item no.
80331

LEONARD hob
stand-alone device, glass
ceramic, 4 cooking zones,
width: 60 cm
LAS 6001 F



item no.
86346

LAURUS hob
stand-alone device, glass
ceramic, 4 cooking zones,
width: 60 cm
LCA 60



item no.
80313

**Induction hob
LEONARD**
stand-alone device, glass
ceramic, 4 cooking zones,
width: 60 cm
LAI 6001 F



item no.
86343

LAURUS hob
stand-alone device, glass
ceramic, 4 cooking zones,
width: 80 cm
LCA78ZKB



item no.
80315

LEONARD hob
stand-alone device, glass
ceramic, 4 induction cooking
zones, width: 80 cm
LAI 8001 F



item no.
86344

Extractor hoods

ELICA wall-mounted hood
Black glass
WISE 60 BK / 90 BK



Width:
60 cm
90 cm
item no.
88526
88529

→ **Activated carbon filter**
for wall-mounted hood in 600
and 900 mm widths
18909

item no.
18909

FABER wall-mounted hood
Stainless Steel
EASY PBXA60 NG
EASY PBXA90 NG



Width:
60 cm
90 cm
item no.
88576
88579

→ **Activated carbon filter**
for wall-mounted hood in 600
and 900 mm widths
18559

item no.
18559

ELICA flat extractor
Grey/Stainless Steel
ELITE 14 60-D



Width:
60 cm
item no.
88102

→ **Activated carbon filter**
for flat extractor hood
in 600 mm width
18102

item no.
18102

Dishwasher

LEONARD dishwasher
Fully integrated. If planned at the
beginning/end of the kitchen unit
row, then end uprights are
necessary, width: 60 cm
LV 1527



item no.
86455

LAURUS dishwasher
Fully integrated. If planned at the
beginning/end of the kitchen unit
row, then end uprights are
necessary, width: 45 cm
LSV 45-3



item no.
80444

Built in microwaves

JUNKER built-in microwave
with left-hand hinge, 5 power
settings, width: 600 mm,
suitable for wall unit
for JUNKER microwave
JP 4119260



item no.
81625

Fridges and freezers

**LEONARD integrated fridge
with freezer compartment**
88 cm recess, useful capacity:
109 litres, width: 60 cm
LK 0853



item no.
86574

**LAURUS built-in fridge with
freezer compartment**
88 cm recess, useful capacity:
98 litres, width: 60 cm
LKG 82 F



item no.
80507

**LEONARD integrated fridge
with freezer compartment**
123 cm recess, useful capacity:
173 litres, width: 60 cm
LK 1254



item no.
86576

**LAURUS integrated fridge
with freezer compartment**
123 cm recess, useful capacity:
170 litres, width: 60 cm
LKG 122 F



item no.
80538

**Built-in fridge/freezer
combination LEONARD**
145 cm recess, useful capacity:
180 litres, width: 60 cm
LKT 1451



item no.
86577

LEONARD built-in fridge/freezer combination

178 cm recess, useful capacity: 195 litres, width: 60 cm
LKG 1853



item no.
86578

Built-in fridge/freezer combination LAURUS

178 cm recess, useful capacity: 181 litres, width: 60 cm
LKG 178 F



item no.
80547

BOSCH free-standing fridge/freezer

Useful capacity: 214 litres, width: 60 cm
KGV 36 VL EA



item no.
82017

Sinks

Manaus sink

Stainless Steel, minimum sink unit width: 450 mm
New Manaus



item no.
87207

Built-in sink with small drainer

Stainless Steel, silk-matt, minimum sink unit width: 400 mm
ETN 611-58



item no.
87042

Built-in sink with drainer

Stainless Steel, minimum sink unit width: 450 mm
Okio Line 85 Deep



item no.
87100

Integrated sink

carbon, minimum sink unit width: 600 mm
Sirius SID 610



item no.
87516

Built-in sink with drainer

onyx, minimum sink unit width: 450 mm
Formhaus D-100



item no.
87324

Taps

Mixer tap

high-pressure, chrome-plated



item no.
17770

Mixer tap

low-pressure, chrome-plated



item no.
17769

Mixer tap

high-pressure, with sprinkler, Stainless Steel



item no.
17777

Mixer tap

high-pressure, with sprinkler, Matt Black



item no.
17791

Built-in waste collector

H x W x D = 470 x 340 x 285 mm (can be fitted with doors at least 400 mm wide), Capacity: 13 l, silver-coloured
AS9441



item no.
9441

Built-in waste collector

H x W x D = 347 x 434 x 330 mm (can be fitted for door widths of at least 500 mm), 3-fold separation: Capacity: 1 x 12 l, 2 x 8.5 l, 1 additional bio lid
AS9431



item no.
9431

Built-in waste collector

H x W x D = 470 x 410 x 210 mm (can be fitted for door widths of at least 450 mm) Capacity: 9 l
AS9449



item no.
9449

Sirio Long LED niche light set

3 LED lights including Emotion dimmer, stainless-steel appearance
LNSIRL-Set



item no.
5967

Sirio Long LED niche light

for mounting below wall units, stainless-steel appearance
LNSIRL



item no.
5966

LED extension lead

for extending the connection cable to the distributor, length: 1800 mm
VK-LED



item no.
5273

Trend cutlery tray

height: 43 mm, Grey
BE 30 / 45 / 60 / 90



Width: item no.
30 cm 26121
45 cm 26123
60 cm 26126
90 cm 26129

Wooden cutlery tray

height: 55 mm, solid oak, with anti-slip mat in Anthracite
BE 30E / 45E / 60E / 90E



Width: item no.
30 cm 47321
45 cm 47323
60 cm 47326
90 cm 47329

Concept cutlery tray

height: 53 mm, anti-slip soft-touch surface
BE 30C / 45C / 60C / 90C



Width: item no.
30 cm 39603
45 cm 39645
60 cm 39606
90 cm 39609

Anti-slip mat


anthracite
RM 30 / 45 / 60 / 90



Width: item no.
30 cm 26711
45 cm 26714
60 cm 26716
90 cm 26719

Moisture protection base

aluminium sheet, for sink base units
FB 45 / 60 / 90



Width: item no.
45 cm 4213
60 cm 4215
90 cm 4217

Ventilation grille for all fridge housings

LG 40



item no.
7038

Spacer tape for wall units planned on top of each other

Spacer strip for cornice base, grey thickness: 3 mm, length: 1000 mm

item no.
9888

Mounting set

- 1 ball siphon, white
- 1 space-saving connector, white
- 1 HT bend DN 40/87, grey
- 1 HT tube DN 40 x 250 mm, grey
- 1 HT transition element, grey
- 1 Oven connection cable, 5 x 2.5 mm², 2000 mm long
- 2 flex hoses with union nut, 300 mm long, 3/8" x 10 mm



item no.
9911

MONSET1


Worktops and niche claddings

Worktops for in-line solutions

Worktop

600 mm deep, rounded front edge, sides sealed with straight décor edge

APN 60




Length: item no.
180 cm 7680
210 cm 7681
240 cm 7682
300 cm 7683
400 cm 7684

Worktop

700 mm deep, rounded front edge, sides sealed with straight décor edge

APN 70



Length: item no.
400 cm 7674

Worktops for corner solutions

The tongue and groove joint is always on the left-hand piece, on the right edge (not variable)



Left-hand piece

Worktop for corner solutions

length: 4000 mm, depth: 600 mm with an outward curvature (left-hand piece)

APEW 400-60E

item no.
7661

Worktop for corner solutions

length: 1855 mm, depth: 600 mm with an outward curvature (left-hand piece)

APEW 186-60E

item no.
7662

Worktop for corner solutions

length: 2455 mm, depth: 600 mm with an outward curvature (left-hand piece)

APEW246-60E

item no.
7665

Right-hand piece

Worktop for corner solutions

length: 2450 mm, depth: 600 mm with an inward curvature (right-hand piece)

APEE 245-60E

item no.
7663

Worktop for corner solutions

length: 4000 mm, depth: 600 mm with an inward curvature (right-hand piece)

APEE 400-60E

item no.
7664

Niche cladding, 518 mm high

coated on both faces, thickness: 16 mm, standard dimension: 2400 mm
NVF 240-52



item no.
9175

Niche cladding, 700 mm high

coated on both faces, thickness: 16 mm
NVF 60-70 / NVF 90-70



Width: item no.
60 cm 9160
90 cm 9190

Upstand, 400 cm

Upper part with sealing lips, dimensions: 25 mm high, 25 mm deep, in worktop colour

WAP 400



item no.
4084

WAP accessory bag

matches the WAP plastic upstands, consisting of: 4 x interior corner 90°, 2 x interior corner 135°, 2 x exterior corner 90°, 2 x set of end caps

WAP-Z




item no.
47928

Upstand, 400 cm

2-piece plastic profile with sealing lip, dimensions: 25 mm high, 25 mm deep, with stainless-steel appearance or black

WAPN 400



item no.
3944

WAPN accessory bag

matches the WAPN plastic upstand, comprises: 4 x interior corner 90°, 2 x interior corner 135°, 2 x exterior corner 90°, 2 x set of end caps for WAPN, 2 x set of end caps for niche cladding

WAPN-Z



item no.
43940

Upstand, 200 cm

Upper part with sealing lips, dimensions: 25 mm high, 25 mm deep, Oak Provence or Concrete Slate Grey

WAP 200



item no.
4082

Upstand for continuous design, 200 cm

2-piece plastic profile with sealing lip, dimensions: 25 mm high, 25 mm deep, Stainless Steel or Black

WAPN 200



item no.
3942

Worktop fitting incl. tension lock connectors

plate joiners and glue



item no.
9424

Aluminium support bracket

width: 250 mm, bracket leg length 40 x 40 mm

STW



item no.
4032


support leg 60 mm Ø

With stainless-steel appearance, height adjustment + 30 mm,
SFED 72 / SFED 87



Height: item no.
720 cm 44072
870 cm 44087

The intelligent, modular living concept from **nobilia**.





Plan your new **nobilia** elements kitchen quickly and easily.

For easy planning, all units are divided into a grid system of 150 mm widths

Choose from 5 different worktop lengths and 2 worktop depths

Fixed plinth height of 150 mm



Bathroom


Base units

*Top shelf or **washbasin required.

Open shelf base unit*

height: 288 mm, depth: 482 mm

Colours: Oak/Concrete
BUR 30-29



Width: 30 mm
item no. 2331

Pull-out unit*

1 pull-out, height: 288 mm, depth: 461 mm

BUA 60-29 / 80-29




Width: 60 mm
80 mm
item no. 2325
2326

Pull-out unit*

2 pull-out units, height: 576 mm, depth: 461 mm

BU2A 60-58 / 80-58




Width: 60 mm
80 mm
item no. 2845
2846

Open shelf base unit*

1 fixed shelf, height: 576 mm, depth: 482 mm

Colours: Oak/Concrete
BUR 30-58




Width: 30 cm
item no. 2862

Bathroom washbasin cabinet**

1 internal panel, 1 drawer with pull-out panel, with wooden back panel, cut-out 9381, siphon recess height: 288 mm, depth: 461 mm

BWAS 60-29 / 80-29




Width: 60 cm
80 cm
item no. 2315
2316

Bathroom washbasin cabinet**

1 internal panel, 1 drawer with pull-out panel, 1 pull-out with wooden back panel cut-out 9381, siphon recess height: 576 mm, depth: 461 mm

BWASA 60-58 / 80-58



Width: 60 cm
80 cm
item no. 2835
2836

Midi units

Top shelf required.

Midi unit

Hinge on L or R, 1 door, 1 pull-out, 1 door, 3 shelves, height: 1584 mm, depth: 350 mm

BMA 30-158




Width: 30 cm
item no. 2950

Midi unit

Hinge on L or R, 1 door, 1 drawer, 1 pull-out, 2 shelves

height: 1152 mm, depth: 350 mm
BMSA 30-115



Width: 30 cm
item no. 2940


Sideboard

Top shelf required.

Sideboard

Hinge on L or R, 1 pull-out, 1 door, 1 shelf, height: 864 mm, depth: 350 mm

BSA 30-86



Width: 30 cm
item no. 2930


Wall units

* Handles on these units are positioned horizontally at the side.

Mirror cabinet

Hinge on L or R, 1 mirrored door, 2 glass shelves, wall unit bottom shelf with attached profile strip with stainless-steel appearance, height: 720 mm, overall depth: 210 mm, side depth: 202 mm, useful depth: 178 mm

WBSP 60-1




Width: 60 cm
item no. 2721

Wall unit*

Hinge on L or R, 1 door, 2 shelves

W 30 / 45 / 60-1



Width: 30 cm
45 cm
60 cm
item no. 32003
32045
32006

Wall unit*

2 doors, 2 shelves

W 90-1




Width: 90 cm
item no. 32009

Wall unit with segmented glass door*

Hinge on L or R, 1 door, clear glass No. 01, 2 glass shelves

WGLS 60-1



Width: 60 cm
item no. 31436

Wall unit with folding/lifting door

1 folding/lifting door, 2 original fronts, 2 shelves

WFL 60 / 90-1



Width: 60 cm
90 cm
item no. 32346
32349

Wall shelf unit

thickness: 25 mm, depth: 255 mm

Colours: Oak/Concrete/Alpine White
VBE 25-60 / 80 / 90 / 100



Width: 60 cm
80 cm
90 cm
100 cm
item no. 25826
25828
25829
25830

→ Wall bracket for the wall shelf unit, set of 2

Colours: Stainless Steel/Matt Black
VBH 5



item no. 5900

Washbasins

Order odour trap separately. | *Top shelf required.

Furniture wash stand mineral composite

1 basin 500 x 340 x 120 mm
1 tap hole, external dimensions: 614 x 492 mm, height: 142 mm

MEGX 600C



item no. 87706

Surface-mounted washbasin mineral composite*

1 basin 475 x 310 x 115 mm, 1 tap hole, external dimensions: 519 x 450 mm, height: 162 mm

WB 0002 W 520C ICC



item no. 87727

Furniture wash stand mineral composite

1 basin 500 x 340 x 120 mm
1 tap hole, external dimensions: 814 x 492 mm, height: 142 mm

MEGX 800C



item no. 87708

Surface-mounted washbasin mineral composite*

1 basin 570 x 335 x 100 mm, 1 tap hole, external dimensions: 600 x 470 mm, height: 144 mm

WB 0517 C 600C



item no. 87726

Taps

Washbasin tap

with pop-up drain fitting, connection for hot and cold water, aerator Ø 24 mm, flexible connection hoses, tap hole Ø 35 mm, spout height above worktop, 98 mm, highest point above worktop 152 mm, projection 117 mm

Colours: Chrome/Matt Black



item no. 17717



item no. 17718

Accessories

Double socket outlet

for installation in mirror cabinets WBSP, double socket outlet with contact hazard protection, silver-coloured plastic housing, 1600 mm mains cable without plug, protection class IP 44
DSDSP-F



item no.
33318

Odour trap


Space-saving model, white plastic, for space-saving connection of washbasins in bathroom furniture, horizontal outlet, water seal height 50 mm, Ø 32 mm, G1 1/4"



item no.
17713

LED starter set with round Emotion radio remote control

LED control 30 W / 12 V DC including radio receiver and 6-way distributor, 2000 mm mains cable with plug, 1 round Emotion radio remote control
LSETR30-F



item no.
15083

Mirror with horizontal LED light window

1 sandblasted LED light window, LED-12 V DC, 2700-6500 K, 1 Emotion touch dimmer, 1 LED converter 15 W 112 V DC IP 44, height: 850 mm, depth: 24 mm
SPLH 60 / 80



Width: 60 cm
80 cm
item no.
15176
15177

Built-in waste collector

Separato Bathroom built-in waste collector, suitable for bathroom pull-out units, height: 220 mm, for pull-out depth: 400 mm
ASSB 40



item no.
3311

Towel holder

suitable for railing handle no. 650 for attaching on the side of bathroom furniture with 461 mm side depth, drilling distance: 320 mm, height: 50 mm, width: 340 mm



item no.
3320



item no.
3321

Colours: Stainless Steel/Matt Black

Mounting screws are included in the scope of delivery HTHS650 / HTHS620

Sirio Long LED niche light set

3 LED lights including Emotion dimmer, stainless-steel appearance
LNSIRL-Set



item no.
5967

Sirio Long LED niche light

for mounting under wall units, stainless-steel appearance
LNSIRL



item no.
5966


Living

Base units

*Top shelf required. **Top shelf and uprights required.

Pull-out unit*


1 pull-out, height: 288 mm, depth: 461 mm
BUA 60-29 / 80-29



Width: 60 cm
80 cm
item no.
2325
2326

Pull-out unit*


2 pull-out units, height: 576 mm, depth: 461 mm
BU2A 60-58 / 80-58



Width: 60 cm
80 cm
item no.
2845
2846

Base unit set


consisting of uprights, top shelf and plinth, height: 864 mm, depth: 461 mm
U3A 80-M



Width: 80 cm
item no.
46483

Open shelf base unit*


height: 288 mm, depth: 482 mm
Colours: Oak/Concrete
BUR 30-29



Width: 30 cm
item no.
2331

Open shelf base unit*

1 fixed shelf, height: 576 mm, depth: 482 mm
Colours: Oak/Concrete
BUR 30-58



Width: 30 cm
item no.
2862

Top shelf for base unit set

Colours: Oak/Concrete/Alpine White

item no.
16891

Uprights for base unit set

Colours: Oak/Concrete/Alpine White

item no.
16892

Midi units

*Top shelf required.

Midi unit

Hinge on L or R, 1 door, 1 pull-out, 1 door, 3 shelves, height: 1584 mm, depth: 350 mm
BMA 30-158



Width: 30 cm
item no.
2950

Midi unit

Hinge on L or R, 1 door, 1 drawer, 1 pull-out, 2 shelves, height: 1152 mm, depth: 350 mm
BMSA 30-115




Width: 30 cm
item no.
2940

Sideboard

*Top shelf required.

Sideboard

Hinge on L or R
1 pull-out, 1 door, 1 shelf, height: 864 mm, depth: 350 mm
BSA 30-86



Width: 30 cm
item no.
2930

Wall units

* Handles on these units are positioned horizontally at the side.

Wall unit*

Hinge on L or R
1 door, 2 shelves
W 30 / 45 / 60-1



Width: 30 cm
45 cm
60 cm
item no.
32003
32045
32006

Wall unit with folding/lifting door


1 folding/lifting door, 2 original fronts, 2 shelves
WFL 60 / 90-1



Width: 60 cm
90 cm
item no.
32346
32349


Wall shelf unit

thickness: 25 mm, depth: 255 mm
Colours: Oak/Concrete/Alpine White
VBE 25-60 / 80 / 90 / 100



Width: 60 cm
80 cm
90 cm
100 cm
item no.
25826
25828
25829
25830

Wall unit*
2 doors, 2 shelves
W 90-1




Width: 90 cm
item no. 32009

Wall unit with flap
1 flap, opening angle 107°,
depth: 350 mm
WK 60-36 / 80-36 / 120-36



Width: 60 cm
80 cm
120 cm
item no. 35806
35808
35812

Wall unit with segmented glass door*
Hinge on L or R, 1 door,
clear glass No. 01, 2 glass shelves
WGLS 60-1



Width: 60 cm
item no. 31436

→ **Wall bracket for the wall shelf unit**, set of 2
Colours: Stainless Steel/Matt Black
VBH 5



item no. 5900

Accessories

Mirror with horizontal LED light window
1 sandblasted LED light window,
LED-12 V DC, 2700-6500 K,
1 Emotion touch dimmer, 1 LED
converter 15 W 112 V DC IP 44,
height: 850 mm, depth: 24 mm
SPLH 60 / 80



Width: 60 cm
80 cm
item no. 15176
15177

Sirio Long LED niche light set
3 LED lights including Emotion dimmer,
stainless-steel appearance
LNSIRL-Set



item no. 5967

Sirio Long LED niche light
for mounting under wall units,
stainless-steel appearance
LNSIRL





item no. 5966

Be creative
and plan
your **nobilia**
elements
living space.

For easy planning, all units
are divided into a grid system
of 100 mm widths

Combine elements and create
your own living space

The solution for every home



Kitchen



KSET-E01



KSET-E02



KSET-E03



KSET-E04



KSET-E05



KSET-E08



KSET-E09



KSET-E10



KSET-E11

Bathroom



BSET-E01



BSET-E02



BSET-E03

Living



LSET-E01



LSET-E02

The pre-planned sets.
For an even
faster solution.

Learn more about
nobilia elements and
let yourself be inspired.

We look forward to hearing from you!

In the Internet



www.nobilia-elements.de

Via Instagram 



[nobilia_elements](https://www.instagram.com/nobilia_elements)